	Revision nr. 12
Mouldpro ApS	Dated 05/10/2015
	Printed on 05/10/2015
NP10 Neutralizer	Page n. 1/10

Safety data sheet

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name NP10 Neutralizer

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use Neutralizing residual acidity for descaling systems and solutions.

1.3. Details of the supplier of the safety data sheet

Name Mouldpro ApS

Address Baltorpbakken 10 2750

Ballerup Denmark Tel. +45 7020 3131 Fax. +45 7020 3151

e-mail address of the competent person

responsible for the Safety Data Sheet support@mouldpro.com

1.4. Emergency telephone number

For urgent inquiries refer to

SECTION 2. Hazards identification.

2.1. Classification of the substance or mixture.

The product is classified as hazardous pursuant to the provisions set forth in EC Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of EC Regulation 1907/2006 and subsequent amendments. Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:

Eye irritation, category 2 H319 Causes serious eye irritation.
Skin irritation, category 2 H315 Causes skin irritation.
Specific target organ toxicity - single exposure, category 3 H335 May cause respiratory irritation.

2.2. Label elements.

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Mouldpro ApS

Revision nr. 12 Dated 05/10/2015

Printed on 05/10/2015

Page n. 2/10



Signal words: Warning

Hazard statements:

H319 Causes serious eye irritation. H315 Causes skin irritation. May cause respiratory irritation. H335

NP10 Neutralizer

Precautionary statements:

P264 Wash your hands thoroughly, the equipment and the exposed areas with water after use.

P280 Wear protective gloves / eye protection / face protection.

P304+P340 IF INHALED: remove person to fresh air and keep comfortable for breathing.

P312 Call a POISON CENTER / doctor / . . . / if you feel unwell. P403+P233 Store in a well-ventilated place. Keep container tightly closed.

Contains: SODIUM PHOSPHATE TRIBASIC ANHYDROUS

2.3. Other hazards.

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

SECTION 3. Composition/information on ingredients.

3.1. Substances.

Information not relevant.

3.2. Mixtures.

Contains:

Identification. Conc. %.

SODIUM CARBONATE

CAS. 497-19-8 > 50 Eye Irrit. 2 H319

EC. 207-838-8 INDEX. 011-005-00-2

Reg. no. 01-2119485498-19

SODIUM PHOSPHATE TRIBASIC ANHYDROUS

CAS. 7601-54-9 < 50 Eye Irrit. 2 H319, Skin Irrit. 2

H315, STOT SE 3 H335

EC. 231-509-8 INDEX. -

Reg. no. 01-2119489800-32

Note: Upper limit is not included into the range.

Mouldpro ApS	Revision nr. 12
• •	Dated 05/10/2015
NP10 Neutralizer	Printed on 05/10/2015
	Page n. 3/10

The full wording of hazard (H) phrases is given in section 16 of the sheet.

SECTION 4. First aid measures.

4.1. Description of first aid measures.

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 30-60 minutes, opening the eyelids fully. Get medical advice/attention.

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Get medical advice/attention.

INGESTION: Have the subject drink as much water as possible. Get medical advice/attention. Do not induce vomiting unless explicitly authorised by a doctor.

INHALATION: Get medical advice/attention immediately. Remove victim to fresh air, away from the accident scene. If the subject stops breathing, administer artificial respiration. Take suitable precautions for rescue workers.

4.2. Most important symptoms and effects, both acute and delayed.

For symptoms and effects caused by the contained substances, see chap. 11.

4.3. Indication of any immediate medical attention and special treatment needed.

Information not available.

SECTION 5. Firefighting measures.

5.1. Extinguishing media.

SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.

UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.

5.2. Special hazards arising from the substance or mixture.

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE Do not breathe combustion products.

5.3. Advice for firefighters.

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures.

Mouldpro ApS	Revision nr. 12
	Dated 05/10/2015
NP10 Neutralizer	Printed on 05/10/2015
	Page n. 4/10

6.1. Personal precautions, protective equipment and emergency procedures.

If there are no contraindications, spray powder with water to prevent the formation of dust. Avoid breathing vapours/mists/gases.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions.

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up.

Use spark-proof mechanical equipment to collect the leaked product and place it in containers for recovery or disposal. If there are no contraindications, use jets of water to eliminate product residues.

Make sure the leakage site is well aired. Check incompatibility for container material in section 7. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections.

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage.

7.1. Precautions for safe handling.

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

7.2. Conditions for safe storage, including any incompatibilities.

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s).

Information not available.

SECTION 8. Exposure controls/personal protection.

8.1. Control parameters.

Information not available.

8.2. Exposure controls.

Mouldpro ApS	Revision nr. 12
	Dated 05/10/2015
NP10 Neutralizer	Printed on 05/10/2015
THE TO ROCK CHILDS	Page n. 5/10

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

HAND PROTECTION

In the case of prolonged contact with the product, protect the hands with penetration-resistant work gloves (see standard EN 374). Work glove material must be chosen according to the use process and the products that may form. Latex gloves may cause sensitivity reactions.

SKIN PROTECTION

Wear category II professional long-sleeved overalls and safety footwear (see Directive 89/686/EEC and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wear airtight protective goggles (see standard EN 166).

RESPIRATORY PROTECTION

None required, unless indicated otherwise in the chemical risk assessment.

ENVIRONMENTAL EXPOSURE CONTROLS.

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

SECTION 9. Physical and chemical properties.

9.1. Information on basic physical and chemical properties.

Appearance solid powder
Colour white
Odour odourless
Odour threshold. Not available.

pH. 13 (aqueous solution at 10%)

Melting point / freezing point. Not available. Initial boiling point. Not available Boiling range. Not available Flash point. Not available. Evaporation rate Not available. Flammability (solid, gas) Not available. Lower inflammability limit. Not available. Upper inflammability limit. Not available. Lower explosive limit. Not available. Not available. Upper explosive limit. Vapour pressure. Not available. Vapour density Not available. 1,200 Kg/l Relative density. Solubility 200 g/l Partition coefficient: n-octanol/water Not available. Not available. Auto-ignition temperature. Not available. Decomposition temperature. Viscosity Not available. Explosive properties Not available. Not available. Oxidising properties

9.2. Other information.

Molecular weight. 120,485
Solid content. 100,00 %
VOC (Directive 1999/13/EC): 0
VOC (volatile carbon): 0

Mouldpro ApS	Revision nr. 12
···	Dated 05/10/2015
NP10 Neutralizer	Printed on 05/10/2015
	Page n. 6/10

SECTION 10. Stability and reactivity.

10.1. Reactivity.

There are no particular risks of reaction with other substances in normal conditions of use.

10.2. Chemical stability.

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions.

No hazardous reactions are foreseeable in normal conditions of use and storage.

10.4. Conditions to avoid.

None in particular. However the usual precautions used for chemical products should be respected.

10.5. Incompatible materials.

Information not available.

10.6. Hazardous decomposition products.

Information not available.

SECTION 11. Toxicological information.

11.1. Information on toxicological effects.

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification. It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

Acute effects: stinging eyes. Symptoms may include: rubescence, edema, pain and lachrymation.

Ingestion may cause health problems, including stomach pain and sting, nausea and sickness.

Acute effects: contact with skin may cause: irritation, erythema, edema, dryness and chapped skin.

Ingestion may cause health disorders, including stomach pain and sting, nausea and sickness.

Acute effects: inhalation of this product may irritate the lower and upper respiratory tract and cause cough and respiratory disorders; at higher concentrations it can also cause pulmonary edema. Ingestion may cause health problems, including stomach pain and sting, nausea and sickness.

SODIUM CARBONATE LD50 (Oral).4090 mg/kg Rat LD50 (Dermal).117 mg/kg Mouse

Mouldpro ApS Revision nr. 12 Dated 05/10/2015 Printed on 05/10/2015 Page n. 7/10 Page n. 7/10

LC50 (Inhalation).2,3 mg/l/2h Rat

SODIUM PHOSPHATE TRIBASIC ANHYDROUS

LD50 (Oral).4,8 mg/kg Rat

LD50 (Dermal) 2 mg/kg Rabbit

LC50 (Inhalation).2,16 mg/l/1h Rat

SECTION 12. Ecological information.

Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or sewers or contaminate soil or vegetation.

12.1. Toxicity.

SODIUM CARBONATE

LC50 - for Fish. 300 mg/l/96h Lepomis macrochirus EC50 - for Crustacea. 200 mg/l/48h Ceriodaphnia dubia

12.2. Persistence and degradability.

SODIUM CARBONATE

Solubility in water. mg/l 1000 - 10000

Biodegradability: Information not available.

SODIUM PHOSPHATE TRIBASIC ANHYDROUS

Solubility in water. > 10000 mg/l

Biodegradability: Information not available.

12.3. Bioaccumulative potential.

Information not available

12.4. Mobility in soil.

Information not available.

12.5. Results of PBT and vPvB assessment.

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

12.6. Other adverse effects.

Information not available.

SECTION 13. Disposal considerations.

Mouldpro ApS	Revision nr. 12
·	Dated 05/10/2015
NP10 Neutralizer	Printed on 05/10/2015
	Page n. 8/10
	zard level of waste containing this product should t
valuated according to applicable regulations. isposal must be performed through an authorised waste management firm, in compliance with nati ONTAMINATED PACKAGING ontaminated packaging must be recovered or disposed of in compliance with national waste mana	onal and local regulations.
Reuse, when possible. Product residues should be considered special hazardous waste. The hazarduated according to applicable regulations. Disposal must be performed through an authorised waste management firm, in compliance with national CONTAMINATED PACKAGING Contaminated packaging must be recovered or disposed of in compliance with national waste mana SECTION 14. Transport information. 4.1. UN number.	onal and local regulations.

Not applicable.

Not applicable.

Not applicable.

Not applicable.

Not applicable.

Information not relevant.

14.4. Packing group.

14.5. Environmental hazards.

14.6. Special precautions for user.

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code.

14.3. Transport hazard class(es).

Mouldpro ApS	Revision nr. 12
	Dated 05/10/2015
NP10 Neutralizer	Printed on 05/10/2015
	Page n. 9/10

SECTION 15. Regulatory information.

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture.

Seveso category. None.

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006.

None.

Substances in Candidate List (Art. 59 REACH).

None.

Substances subject to authorisarion (Annex XIV REACH).

None.

Substances subject to exportation reporting pursuant to (EC) Reg. 649/2012:

None.

Substances subject to the Rotterdam Convention:

None.

Substances subject to the Stockholm Convention:

None.

Healthcare controls.

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

15.2. Chemical safety assessment.

No chemical safety assessment has been processed for the mixture and the substances it contains.

SECTION 16. Other information.

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Eye Irrit. 2 Eye irritation, category 2
Skin Irrit. 2 Skin irritation, category 2

STOT SE 3 Specific target organ toxicity - single exposure, category 3

H319 Causes serious eye irritation.

H315 Causes skin irritation.

H335 May cause respiratory irritation.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road

Revision nr. 12 Mouldpro ApS Dated 05/10/2015 Printed on 05/10/2015 **NP10 Neutralizer** Page n. 10/10

- CAS NUMBER: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE NUMBER: Identifier in ESIS (European archive of existing substances)
- CLP: EC Regulation 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX NUMBER: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: EC Regulation 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA STEL: Short-term exposure limit
- TWA: Time-weighted average exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

- 1. Regulation (EU) 1907/2006 (REACH) of the European Parliament
- 2. Regulation (EU) 1272/2008 (CLP) of the European Parliament
- 3. Regulation (EU) 790/2009 (I Atp. CLP) of the European Parliament
- 4. Regulation (EU) 453/2010 of the European Parliament
- Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
- 6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
- 7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
- The Merck Index. 10th Edition

 Handling Chemical Safety
- INRS Fiche Toxicologique (toxicological sheet)
- Patty Industrial Hygiene and Toxicology
- N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- ECHA website
- Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses. Provide appointed staff with adequate training on how to use chemical products.

Changes to previous review:

The following sections were modified:

01 / 02 / 08 / 09 / 11 / 16.